

SHARAYU-III (2007 COURSE): Oct-Nov-2012
SUBJECT: MENTAL HEALTH NURSING

Day: Friday
Date: 19.10.2012

Time: —
Max. Marks: 15

N.B.:

- 1) All questions are **COMPULSORY**.
- 2) Put a tick mark in the appropriate box.
- 3) Use **BLUE/BLACK** ball point pen only.
- 4) Section - I should be completed in **20** minutes.
- 5) Each question carries 1 mark.
- 6) Students will not be allotted any marks if he/she overwrites strikes or puts ink on the box once marked.

Seat No. _____

Total Marks Obtained _____

Jr. Supervisor's Signature _____

Signature of the Examiner _____

SECTION - I

Q.1 MCQ

- 1) Late onset of schizophrenia is a
 - a) Poor prognostic factor
 - b) Good Prognostic factor
 - c) Have no influence on prognosis
 - d) Have poor prognosis only in case of simple schizophrenia

- 2) Heroin is a
 - a) C.N.S. stimulant
 - b) Narcotic Analgesic
 - c) Hallucinogen
 - d) C.N.S. depressant

- 3) The term 'Euphoria' refers to
 - a) Mild elevation of mood
 - b) Very severe elevation of mood
 - c) Moderate elevation of mood
 - d) Severe elevation of mood

- 4) Moderate Mentally retarded child referred to as
 - a) Educable
 - b) Dependent retarded
 - c) Trainable
 - d) Life support

P.T.O.

- 5) Anesthetic agent given during ECT is
- a) Atropine
- b) Succinylcholine
- c) Thiopental Sodium
- d) Alprazolam
- 6) Sexual arousal occurs with non living object is known as
- a) Pedophilia
- b) Fetishism
- c) Voyeurism
- d) Transvestism
- 7) Only absolute contraindication for Electroconvulsive therapy is
- a) Pregnancy
- b) Cerebrovascular accident
- c) Severe hypertension
- d) Increased intracranial pressure
- 8) Exaggerated conception about self is referred to as
- a) Somatic delusion
- b) Delusion of infidelity
- c) Delusion of persecution
- d) Delusion of grandeur
- 9) Bipolar affective disorder subtype-II is characterized by
- a) Hypomania and severe depression
- b) Hypomania and mild depression
- c) Severe mania and mild depression
- d) Severe mania and severe depression
- 10) Persistent repetition of the words or themes beyond the point of relevance refers to
- a) Pressure of speech
- b) Tangentiality
- c) Flight of ideas
- d) Perseveration

11) Free association and dream analysis are components of

- a) Psychoanalysis
- b) Continuous sleep therapy
- c) Abreaction therapy
- d) Behavior therapy

12) Conscious awareness of one's own symptoms of maladaptive behaviour, is known as

- a) Obsession
- b) Realization
- c) Judgment
- d) Insight

13) Severe depression in case of mood disorder is

- a) Poor prognostic factor
- b) Good Prognostic factor
- c) Have no influence on prognosis
- d) None of the above

14) An acute organic brain syndrome characterized by impairment in consciousness and orientation is known as

- a) Delirium
- b) Delusions
- c) Depression
- d) Dementia

15) In neurotic person

- a) The person lacks in insight and judgment
- b) Presence of hallucinations
- c) Presence of delusions
- d) The person possesses insight and judgment

* * * * *

SHARAYU - III (2007 COURSE) : APRIL / MAY - 2014
SUBJECT : MENTAL HEALTH NURSING

Day : Monday
Date : 28-04-2014

Time : -
Max. Marks : 15

N.B.:

- 1) Put a \checkmark in the appropriate box below the question number once only.
- 2) Use blue ball point pen only.
- 3) Each question carries **ONE** mark.
- 4) Students will not be allotted marks if he/she overwrites strikes or puts white ink on the cross once marked.

Seat No: _____

Total marks Obtained: _____

Jr Supervisor Sign: _____

Examiner Sign: _____

SECTION - A

- 1) If the patient escapes from the emergency ward, the physician should:
 - a) Pursue the patient
 - b) Inform the family and friends about the patients potential dangerousness
 - c) Assume that the patient will return from treatment
 - d) Inform the medical superintendent and the treating psychiatrist
- 2) All are seen in a 60 years old female except:
 - a) Depression
 - b) Dementia
 - c) Anorexia nervosa
 - d) Osteoarthritis
- 3) Less memory disturbance is seen with :
 - a) Bilateral ECT
 - b) Unilateral ECT
 - c) Direct ECT
 - d) Modified ECT
- 4) Electro convulsive therapy was discovered in the year :
 - a) 1946
 - b) 1926
 - c) 1931
 - d) 1938

- 5) According to ICD - 10 depression is classified in:
- a) F - 31
 - b) F - 32
 - c) F - 34
 - d) F - 33
- 6) Euphoria means:
- a) Excessive feeling of happiness
 - b) Pathological repetition of speech
 - c) Distressing to the individual
 - d) Self centered
- 7) Which of the following indicates normal therapeutic blood lithium level:
- a) 0.8 - 1.2 m Eq / Lit
 - b) 0.2 - 0.8 m Eq / Lit
 - c) 0.6 - 1.6 m Eq / Lit
 - d) 0.7 - 1.7 m Eq / Lit
- 8) Insulin shock treatment was introduced by :
- a) Fm Berger
 - b) Sakel
 - c) John cade
 - d) Thoman kunn
- 9) An acute organic brain syndrome characterized by impairment in consciousness and orientation is known as:
- a) Delirium
 - b) Dementia
 - c) Depression
 - d) Delusion
- 10) The belief that ones body is changing and responding in some unusual way, refers to:
- a) Somatic delusion
 - b) Tactile hallucination
 - c) Tactile illusion
 - d) Somatic hallucination
- 11) Pyromania refers to :
- a) Pathological fire setting
 - b) Pathological stealing
 - c) Euphonic mood
 - d) Exalted state of mood

- 12) Only absolute contraindication for electroconvulsive therapy is:
- a) Pregnancy
 - b) Severe hypertension
 - c) Increased intra cranial pressure
 - d) Fracture
- 13) 'False, Fixed belief in a person's mind which is not in accordance with his social, educational and cultural background' is known as :
- a) Hallucination
 - b) Delusion
 - c) Illusion
 - d) Derealization
- 14) Community mental health center is situated at :
- a) Raipur Rani, Chandigarh
 - b) Nagpur, Maharashtra
 - c) M . I. M. H., Pune, Maharashtra
 - d) Kottayam, Kerala
- 15) Lysergic Acid Diethylamide is a :
- a) C. N. S. stimulant
 - b) C. N. S. depressed
 - c) Cannabis product
 - d) Hallucinogen