

References

- 1 National Kidney Foundation™ Your Kidneys: Master Chemists of the Body. Available from: http://www.kidney.org?atoz/pdf/master_chemists.pdf

- 2 National Kidney Foundation. (2007). The National Kidney Foundation Kidney Disease Outcomes Quality Initiative. Retrieved April 24, 2007 from <http://www.kidney.org/professionals/KDOQI>

- 3 Agarwal SK, Dash SC, Irshad M, Raju S, Singh R, Pandey RM. Prevalence of chronic renal failure in adults in Delhi India nephrol dial transplant. 2005;20:1638-42.

- 4 Shelar J. Cases of diabetic kidney disease up in Mumbai. D N A Daily News & Analysis. 2010: 13 March,05.

- 5 Khanna U. The economics of dialysis in India. Indian Journal of nephrology, 2009: 19(1):1-4.

- 6 Dash SC, Agarwal SK. Incidence of chronic kidney disease in India. nephrol dial transplant 2006; 21 (1):232 -233.

- 7 Bakri GL, Ritz E. The message for world kidney day 2009: Hypertension and kidney disease : a marriage that should be prevented. Cl. J. Am Soc. Nephrol. 2009;517-519. doi : 10.2215/CJN.00080109.

- 8 Arora P, Verrelli M, Chronic renal failure: e-medicine nephrology. Aug 12, 2009, <http://emedicine.medscape.com>. Retrieved 08.01.09.

- 9 World Kidney Day. (2008) <http://www.worldkidneyday.org>.

- 10 Epstein M. John P. Merrill. The father of nephrology as a specialty Cl. J. Am Soc. Nephrol 4:2-8,2009; doi :102215/CIN048309

- 11 Kring DL. Using the revised Wilson and Cleary model to explore factors affecting quality of life in persons on hemodialysis. Un Published Thesis. University of North Carolina,Greesino.2008.

- 12 Weisbord SD, Fried LF, Arnold RM, Fine MJ, Levenson DJ, Peterson RA, Switzer GE. Prevalence, severity and importance of physical and emotional symptoms in chronic hemodialysis patients. J.Am Soc Nephrol 2005;16(8):2487-94. Epub 2005 Jun 23. PMID: 15975996 [PubMed – indexed for MEDLINE]15240, USA. Stven.weisbord@med.va.go

- 13 Mozzuchi N, Gonzaloz-Martnez F, Carbonel E, Curi L, Fernandez -Cean J, Orihuela S. Comparison of survival for hemodialysis patients vs renal transplant recipients treated in Uruguay nephro dial transplant. 1999;14:2849-2854.
- 14 Denhaerynck K, Manhaeve D, Dobbels F, Garzoni D, Nolte C, De Geest S. Prevalence and consequences of non-adherence to hemodialysis regimens. Am J Crit Care. 2007;16(3):222-35.
- 15 Abdel-Khader K, Unruh ML, Weishbord SD. Symptom burden, depression and quality of life in chronic and end stage kidney disease. Cl. J. Am. Soc. nephrol 2009; (4)(6): 1057 to 1064. Epub 2009, May 7.
- 16 Murtagh FE, Addington-Hall J, Higginson IJ. The prevalence of symptoms in end-stage renal disease: a systematic review. Adv Chronic Kidney Dis (2007) 14(1):82-99.
- 17 Unruh M, Yan G, Radeva M, Hays RD, Benz R, Athienites NV, Kusek J, Levey AS, Meyer KB, the HEMO Study Group. Bias in assessment of health-related quality of life in a hemodialysis population: a comparison of self-administered and Interviewer-administered surveys in the hemo study j Am Soc Nephrol. 2003;14:2132-2141.
- 18 Cooper BA, Branley P, Bulfone L, Collins JF, Craig JC, Dempster J, Fraenkel MB, Harris A, Harris DC, Johnson DW, Kesselhut J, Luxton G, Pilmore A, Pollock CA, Tiller DJ. The initiating dialysis early and late (IDEAL) study: study rationale and design. Perit Dial Int. 2004;24(2):176-81.
- 19 Stacy J, Elder, Pisoni RL, Akiawaz T, Fissel R, Andreuci VE, Fukuhara S, Kurokawas K. et al Sleep quality predicts quality of life and mortality risk in hemodialysis patients :results from dialysis outcomes and practice patterns study (DOPPS) Nephrol. Dial Transplant. 2008; 23:998-1004. doi.10.1093/ndt/gfm630 1 Oct 2007.
- 20 Agarwal R, Alborzi P, Satyan S, Light RP. Dry weight reduction in hypertensive hemodialysis patients (DRIP): a randomized, trial hypertension. 2009;53(3):500-7. Epub 2009 Jan 19.
- 21 Tarrass F, Addou K, Benjelloun M, Zamd M, Medkouri G, Hachim K, Benghanem MG, Ramdani B. Optimizing hypertension control in hemodialysis patients: a proposed management strategy. Saudi J Kidney Dis Transpl [serial online] 2007 [cited 2009 Dec 13]; 18:355-60. Available from: <http://www.sjkdt.org/text.asp?2007/18/3/355/33751>
- 22 Culleton BF, Walsh M, Klarenbach SW, Mortis G, Scott-Douglas N, Quinn RR, Tonelli M, Donnelly S, Friedrich MG, Kumar A, Mahallati H, Hemmelgarn BR, Manns BJ. Systematic review of the effect of nocturnal hemodialysis on blood pressure, left ventricular hypertrophy, anemia,

- mineral metabolism, and health-related quality of life. *JAMA*. 2007;298(11):1291–1299.
- 23 Thong MSY, Sandra van Dijk SV, Noordzij M, Boeschoten EW, Krediet RT, Dekker FW, Kaptein AA. The NECOSAD Symptom clusters in incident dialysis patients: associations with clinical variables and quality of life. Study Group. *Nephrol Dial Transplant*. 2008; 1–6. doi: 10.1093/ndt/gfn449.
 - 24 Hans SS, Kim KW, Na KY, Chae D-W, Kim YS, Kim S. et al. Quality of life and mortality from a nephrologist's view: a prospective observational study. *BMC Nephrology*. 2009;10:39, doi10.1186/1471-2369-10-39. <http://www.biomedcentral.com/1471-2369/10/39>.
 - 25 Ferrans CE, Zerwic JJ, Wilbur JE, Larson JL. Conceptual model of health related quality of life. *Journal of Nursing Scholarship*. 2005; 37(4): 336-342. doi 10.1111/j.1537-5069.2005.00058.
 - 26 Wojciechowski, Cichowski K. A Case Review; Designing new patient education system. *The Internet Journal of Advanced Nursing Practice*. 2007;8(2) – ISSN 1523-6064.
 - 27 Lewis D. Computer-based approaches to patient education: A Review of the Literature; *JAMIA* 1999;6:272-282 doi:10.1136/jamia.1999.0060272.
 - 28 Wingard RL, Chan KE, Lazarus JM, Hakim RM. The "Right" of Passage: Surviving the first year of dialysis. *Clin. J. Am. Soc. Nephrol.*, 2009; 4(Supplement_1): S114 - S120.
 - 29 Dagdeviren A, Savaser S. Education to reduce potassium levels in adolescent, hemodialysis patients. *Nephrol Dial Transplant* 4: S114 –S120, 2009. doi: 10.2215/CJN.04360 EDTNA ERCA J. 2003; 29(4):195-7.
 - 30 Barnet T, Li Yoong T, Pinikahana J, Si-Yen T. Fluid compliance among patients having hemodialysis can an educational program made a difference?. *J Adv Nurs*. 2008; 61(3):300-6.
 - 31 Tanner JL, Craig CB, Bartolucci AA, Allon M, Fox LM, Geiger B, Wilson NP. The effect of self monitoring tool on self-efficacy, health beliefs and adherence in patients receiving hemodialysis. *J Ren Nutr*. 1998;8 (4):203-11.
 - 32 SharpJ, Wild MR, Gumley AI, Deighan CJ. A systematic review of psychological interventions for the treatment of non adherence to fluid intake restrictions in people receiving hemodialysis. *American Journal of Kidney Diseases* 2005;45(1):15-27.
 - 33 Heidarnia A, Dehdari T, Ghofranipour F, Kazemnejad A, Heidarnia M. The effect of health education on health related quality of life in patient

- undergoing CABG. Medical Journal of Islamic Republic of Iran www.cababstractsplus.org/abstracts/ Abstract.aspx?AcNo=20053175429
- 34 Tsay SL, Hund LO. Empowerment of patients with end stage renal stage renal disease – a randomized controlled trial. International Journal of Nursing Studies. 2004; 1(1):59-65.
- 35 Kallenbach JZ, Gutch CF, Stoner MH, Correa A L. Review of hemodialysis for nurses and dialysis personnel. 7th Edition, Elsevier Mosby, St. Louis; 2005.
- 36 Richard CJ, Self-care management in adults undergoing hemodialysis. Nephrology Nursing Journal. 2009. FindArticles.com. http://findarticles.com/p/articles/mi_m0ICF/is_4_33/ai_n17214615/
- 37 Simmons L. Dorothea Orem's self care theory as related to nursing practice in hemodialysis. Nephrology Nursing J. 2009;36(4):419-21.
- 38 Polit DF, Beck CT. Nursing research principles and methods. 7th ed., Lippincott Williams and Wilkins, Philadelphia ,2004 : 88.
- 39 W.H.O. Quality of Life-BREF (WHOQOL-BREF) World Health Organization 2005. Retrieved 14.07.2005.
- 40 www.healthoutcomesassessmentprogram: General health policy model. Retrieved 19.09.2005.
- 41 Fontaine K, Management: Arthritis and Health Related Quality of Life. http://www.hopkins-arthritis.org/patient_corner/disease-management/gol.html Retrieved: 19.09.2005.
- 42 Sathvik BS, Parthasarathi G, Narahari MG, Gurudev KC. An assessment of the quality of life in hemodialysis patients using the WHOQOL-BREF questionnaire. Indian J Nephrol 2008;18:141-9.
- 43 Cohen R, Mount BM, Stroebe MG, Bui F. The McGill quality of life questionnaire: A Measure of Quality of Life Appropriate for People with Advanced Disease. Pall Med 1995; 9:207–19.
- 44 KDQOL. QUEST. RAND, KDQOL-SFTM User's Manual, Retrieved 08.07.2005.
- 45 Jablonski A. Hemodialysis Population Symptom Relief and the Need for Palliative Care: Journal of Hospice and Palliative Nursing. 2007;9(1):50-58. <http://cme.medscape.com/nurses>
- 46 Morais AAC, Silva MAT, Vidigal ET, Costa RA, Lyrco DC, Trindade CR, Pitanga KK. Correlation of nutritional status and food intake in hemodialysis patients. Clinics. 2005; 60:185–192 Clinics.2005;60(3) doi:10.1590/51807-593220050030002 2005;60(3):185-92.
- 47 Tarrass F, Addou K, Benjelloun M, Zamd M, Medkouri G, Hachim K, Benghanem MG, Ramdani B. Optimizing hypertension control in hemodialysis patients: A

- Proposed Management Strategy. *Saudi J Kidney Dis Transpl* [serial online] 2007 [cited 2009 Dec 13];18:355-60. Available from: <http://www.sjkdt.org/text.asp?2007/18/3/355/33751>.
- 48 Sabbatini M, Minale B, Crispo A, Pisani A, Ragosta A, Esposito R. et al Insomnia in maintenance hemodialysis patients. *Nephrol Dial Transplant* 2002;17() 852-856.
- 49 Pisoni RL, Wikstrom B, Elder SJ, Akizawa T, Asano Y, Keen ML, Saran R. et al Pruritis in hemodialysis patients :international results from the Dialysis Outcome and Practice Patterns Study (Dopps) 2006.
- 50 Akhyani M, Ganji MR, Samade N, Khamesan B, Daneshpazhook M. Prevalence of pruritus among hemodialysis patients *BMC.Nephrology* 2005;5(7)doi:10.1186/1471-5945-5-7.
- 51 Eghbali M, Shahqolian N, Nazari F, Babaee S. Comparing problems of patients with chronic renal failure undergoing hemodialysis and peritoneal dialysis referring to medical university's hospitals *Iranian Journal of Nursing and Midwifery Research* 2009; 14(1): 1-5.
- 52 Sathwick BS, Mangasuli S, Narahani MG, Gurudev KG, Parthsarathi G. Medication knowledge of hemodialysis patients and influence of clinical pharmacist provided education on their knowledge *Indian Journal of Pharmaceutical Sciences* 2007;69(2) 232-239 doi: 10.4103/0250-474X.3314.
- 53 Hult H, Lindblad Fridh M, Lindh Falk A, Thörne K. Pedagogical processes in healthcare: An Exploratory Study of Pedagogic Work with Patients and Next of Kin. *Education for Health*. 2009;22(3). Available from: <http://www.educationforhealth.net/>
- 54 Wengstrom Y, Pagels AA, Wiling M. The impact of a nurse-led clinic on self-care ability, disease-specific knowledge, and home dialysis modality, *Nephrology Nursing Journal*. 2008;35(3):242-243.
- 55 Thomas-Hawkins C, Zawrosky D. Self-management of chronic kidney disease patients shoulder the responsibility for day –to- day management of chronic illness. How can nurses support their autonomy? *AJN*2005;105(10):40-47.
- 56 Curtin RB, Mapes DL. Health care management strategies of long term dialysis survivors. *Nephrol Nurs J*. 2001;28(4):385-92; discussion 393-4. PMID:12143460 .
- 57 Wang Lai, Lan W, Jie D, Gan H.B, Tao W. Empowerment of patients in the process of rehabilitation. *Peritoneal Dialysis International* 2007;27(2):532-534.

- 58 Legg V, Complications of chronic kidney disease. A close look at renal osteodystrophy, nutritional disturbances and inflammation. American Journal of Nursing 2005;105(6):40-50.
- 59 Mapes DL, Lopes AA, Satayathum S, McCullough KP, Goodkin DA, Locatelli F, Fukuhara S, Young EW, Kurokawa K, Saito A, Bommer J, Wolfe RA, Held PJ, Port FK. Health-related quality of life as a predictor of mortality and hospitalization: the Dialysis Outcomes and Practice Patterns Study (DOPPS). Kidney Int.2003;64(1):339-49.
- 60 Lorig KR, Holman HR. Self management education: History, definition, outcomes and mechanisms Annals of Behavioural Medicine. 2003;26(1):1-7.
- 61 Maureen M. Infection Management-Dialysis patient's education, adherence to protocols and financial incentives required. Nephrology Times. 2008;1(11):11-15.
- 62 Arnold TL. Predicting fluid adherence in hemodialysis patients via The illness perception questionnaire revised. Unpublished PhD Dissertation. Georgia State University. 2008.
- 63 Ching LY, Luan TS, Jyy WT. Group Intervention of quality of life in hemodialysis patients. Journal of Clinical Nursing; 2007;16 (s1c):268-75.
- 64 Ramani GK, Dholakiya RB, Patel GF, Vekariya NK. Impact of patient education on health related quality of life in dialysis patients Journal of Pharmacy Research; 2009;2(9):1376-78.
- 65 Conn VS, Halfdahal AR, Brown SA, Brown LM. Meta-Analysis of patient education intervention to increase physical activity among chronically adults .Patient Edu Couns2008; 70(2):157-172online 2007 Nov 26 doi:10.1016/J.PEC2007.10.004
- 66 Fatima L, Effect of information booklet provided to caregivers of patients on hemodialysis on knowledge of home care management. The Nursing Journal of India; 2004;4. Retrieved on 14.11.2005.
- 67 Schlatter S, Ferrans CE. Teaching program effects on high phosphorous levels in patients receiving hemodialysis American Nephrology Nurses Association J. 1998; 25(1):31-36.
- 68 Tomasello S, Dhupar S, Sherman R. Phosphate binders, K/DQOL guidelines and compliance: the unfortunate reality. Nephrol Dial Transplant 2004;33(5):236-40.
- 69 Kroff, MV, Gruman J, Schaefer A, Curry, SJ, Wagner EH. et al Annals of internal Medicine. 1997;127(12).

- 70 Mazzuca SA, Moorman MH, Wheel ML, Norton JA, Fineberg NS, Vinor FV. et al. The diabetes education study: a controlled trial of the effects of diabetes patient education1 Diabetes Care. 1986; 9(1):1-10. doi: 10.2337/diacare.9.1.
- 71 Gallefoss F, Bakke PS, Kjaersgaard F. Quality of life assessment after patient education in a randomized controlled study on asthma and chronic obstructive pulmonary disease Amj.Resp Crit Med 1999;159-812-817.
- 72 Kreuter MW, Chedda SG, Bull FC. How does physician advice influence patient behavior? Archives of Family Medicine. 2000;9(5):426-433.
- 73 Rana A K, Wahim A, Lundborg CS, Kabir ZN. Impact of health education on health-related quality of life among elderly persons: results from a community based intervention study in Bangladesh .Health Promotion International. 2009;24(1):36-45.
- 74 Abell JE, Hootman JM, Zack MM, Monarty D, Helmick CG. Physical activity and health-related quality of life among people with arthritis Journal of Epidemiology and Community Health.2005;59:380-85.
- 75 Mannise L K, Solomon F G, Kippes CM, Kumkel R. Impact of head ache education programme in the work place. American Neurology. 1999;53(40):868-871.
- 76 Schnerder WJ, Furth PA, Blalock TH, Sherill TA. A Pilot Study of a head ache programme in the work place. The effect of education Journal of Occupational Environment Medicine. 1999;41(3)202-209.