

MAHARASHTRA STATE BOARD OF NURSING AND PARAMEDICAL EDUCATION, MUMBAI

REGULAR BATCH

REGULAR EXAMINATION IN GENERAL NURSING AND MIDWIFERY

THIRD YEAR

MIDWIFERY AND GYNECOLOGY NURSING—PAPER-I

TUESDAY, 17TH OCTOBER 2023

[TIME : 11-00 A.M. TO 2-00 P.M.]

(TOTAL MARKS—75)

Instructions:—

- Candidate must write her / his seat number in **ENGLISH**.
- Please note that the question paper set in **ENGLISH** version is final for any doubt in **MARATHI** paper.
- Write each question on new page.

- | | Marks |
|--|----------------------------|
| 1. (a) Select the most appropriate answer from the following and complete the sentence :— | (05) |
| (1) One or more small lobe of placenta placed at varying distance from the main placenta is | |
| (a) Circumvallate Placenta (b) Battledore Placenta | |
| (c) Succenturiate Placenta (d) Velamentous Placenta. | |
| (2) is the commonest obstetric operation carried out to enlarge the vaginal opening during labour. | |
| (a) Forceps (b) Episiotomy | |
| (c) Vacuum (d) Craniotomy. | |
| (3) The flow of vaginal discharge from 5th - 9th day of the delivery is called | |
| (a) Lochia alba (b) Lochia serosa | |
| (c) Lochia Rubra (d) None of the above. | |
| (4) Menorrhagia means | |
| (a) Painful menstruation (b) Scanty flow of menstruation | |
| (c) Excessive bleeding during Menstruation (d) Absence of menstruation. | |
| (5) The middle layer of uterus is called as | |
| (a) Perimetrium (b) Myocardium | |
| (c) Endometrium (d) Myometrium. | |
| (b) Match the following :— | (05) |
| ‘A’ Group | ‘B’ Group |
| (i) Infertility | (a) Caesarean section |
| (ii) Neonatal Jaundice | (b) Ischial spine level |
| (iii) Contracted Pelvis | (c) New born baby |
| (iv) Zero station | (d) Phototherapy |
| (v) Apgar score | (e) Inability to conceive. |
| (c) State whether <i>true</i> or <i>false</i> :— | (05) |
| (i) Posterior fontanelle is diamond shape. | |
| (ii) Normal weight gain in pregnancy is about 11 kg. | |
| (iii) Quickening is felt by the antenatal mother after 32 weeks of gestation. | |
| (iv) MTP can be done upto 30 weeks of gestation. | |
| (v) Umbilical cord has two veins and one artery. | |

[Turn over

2. Write short notes on (any *three*):—

- (a) Polyhydromnious
- (b) Foetal Circulation
- (c) AMTSL
- (d) Immediate Care of New Born.
- (e) Functions of Placenta.

(05)

3. (a) Define the following (any *five*):—

- (i) Mastitis
- (ii) Moulding
- (iii) Amenorrhoea
- (iv) Asphyxia
- (v) Normal labour
- (vi) Habitual abortion.

(b) Difference between (any *two*):—

(10)

- (i) Male pelvis and Female pelvis.
- (ii) Polyhydramnios and Oligohydramnios.
- (iii) Complete abortion and Incomplete abortion.

4. Mrs. Nandini, 25 yrs. of Primigravida with 28 weeks ammenorrhoea and admitted with spontaneous vaginal bleeding.

(15)

Answer the following questions :—

- (a) What can be the cause of vaginal bleeding in Mrs. Nandini ? (01)
- (b) Define placenta previa and its type. (03)
- (c) Besides bleeding what signs and symptoms will be present in her. (03)
- (d) How will you confirm the diagnosis and write the management of Mrs. Nandini (04)
- (e) State the differences between Placenta previa and Abruptio placenta. (04)

OR

Answer the following questions:—

- (a) Define puerperal sepsis. (02)
- (b) Write the causes of puerperal sepsis. (03)
- (c) Write the signs and symptoms of puerperal sepsis (03)
- (d) Write the management of puerperal sepsis. (05)
- (e) What are the complications of puerperium. (02)

5. Answer the following questions:—

- (a) What is uterine prolapse. (02)
- (b) Write down causes and degrees of uterine prolapse. (03)
- (c) Write down signs and symptoms and investigations of uterine prolapse. (05)
- (d) Write down pre operative and post operative nursing management of Vaginal Hysterectomy. (05)

महाराष्ट्र राज्य शुश्रूषा व परावैद्यक शिक्षण मंडळ, मुंबई
नियमित सत्र

जनरल नर्सिंग आणि मिडवायफरी नियमित परीक्षा
तृतीय वर्ष

प्रसूतीशास्त्र व स्त्रीरोगशास्त्र पेपर-१

मंगळवार, दिनांक १७ ऑक्टोबर २०२३

[वेळ : सकाळी ११-०० ते दुपारी २-०० वाजेपर्यंत]

(एकूण गुण — ७५)

- सूचना.— १. उमेदवाराने तिचा / त्याचा आसन क्रमांक इंग्रजीमध्ये लिहावा.
२. मराठी पेपरमध्ये कोणत्याही शंका असल्यास इंग्रजी आवृत्तीमध्ये सेट केलेली प्रश्नपत्रिका अंतिम आहे.
३. प्रत्येक प्रश्नाची सुरुवात नवीन पानावर करावी.

१. (अ) योग्य पर्याय निवडून वाक्य पूर्ण करा :—

गुण
(०५)

- (१) एक किंवा त्याहून जास्त जरायुचे लहान तुकडा मुख्य जरायुपासून दूर असल्यास ते म्हणजे
(अ) सरकमवॅलेट जरायु (ब) बॅटलडोर जरायु
(क) सक्सेनच्युरीएट जरायु (ड) वेलामेन्टस जरायु.
- (२) हे सर्वात जास्त वापरण्यात येणारी शस्त्रक्रिया आहे की जिच्यामुळे प्रसूतीच्या वेळी योनीमार्गाचे प्रवेशद्वार मोठे करण्यासाठी करतात.
(अ) फॉरसेप्स (ब) एपिझिओटॉमी (विटप छेद)
(क) व्हॅक्यूम (ड) क्रेनिओटॉमी.
- (३) प्रसूतीनंतर ५ व्या ते ९ व्या दिवसापर्यंत जो स्त्राव योनीमार्गातून जातो त्यास म्हणतात.
(अ) लोकिया अल्बा (ब) लोकिया सिरोसा
(क) लोकिया रूब्रा (ड) यापैकी काही नाही.
- (४) मेनोरेजिया म्हणजे होय.
(अ) वेदनेसहीत पाळी (ब) कमी रक्तस्त्रावासहीत पाळी
(क) अतिरक्तस्त्रावासहीत पाळी (ड) पाळी न येणे.
- (५) गर्भाशयाच्या मधल्या स्तराला म्हणतात.
(अ) पेरीमेट्रीअम (ब) मायोकारडीअम
(क) इनडोमेट्रीअम (ड) मायोमेट्रीअम.

(ब) योग्य जोड्या जुळवा :—

(०५)

‘अ’ गट

‘ब’ गट

- (१) बंधत्व
(२) नवजात अर्भकाची कावीळ
(३) संकुचित कटीर
(४) झिरो स्टेशन
(५) अपगार स्कोअर

- (अ) सिझेरियन सेक्शन
(ब) इश्चीयल स्पाईनची पातळी
(क) नवजात बालक
(ड) फोटोथेरपी
(इ) गर्भधारणा न होणे.

(क) खालील विधाने चूक की बरोबर ते लिहा :—

- (१) मागील टाळू डायमंड आकाराची असते.
- (२) गरोदरपणात स्वाभाविक वजन वाढ ११ किलोने होते.
- (३) गरोदर मातेला गर्भाच्या हालचाली ३२ आठवड्यांनंतरच जाणवतात.
- (४) वैद्यकीय गर्भपात गर्भावस्थेच्या ३० आठवड्यांपर्यंत करता येतो.
- (५) गर्भाच्या नाळेमध्ये दोन नीला व एक रोहिणी असते.

(१५)

२. टिपा लिहा (कोणत्याही तीन) :—

- (अ) पॉलीहायड्रामिनास (अति गर्भोदक)
- (ब) फिटल सर्कुलेशन
- (क) प्रसूतीच्या तिसऱ्या अवस्थेचे सक्रीय व्यवस्थापन
- (ड) नवजात शिशूची जन्मल्याबरोबर काळजी
- (इ) जरायुची कार्ये.

(०५)

३. (अ) व्याख्या लिहा (कोणत्याही पाच) :—

- (१) स्तनाचा दाह
- (२) मोल्डिंग
- (३) अँमेनोरिया
- (४) श्वासावरोध
- (५) स्वाभाविक प्रसूती
- (६) सवयीचा गर्भपात.

(१०)

(ब) फरक स्पष्ट करा (कोणतेही दोन) :—

- (१) पुरुष कटीर आणि स्त्री कटीर.
- (२) अतिगर्भोदके आणि कमीगर्भोदके.
- (३) पूर्ण गर्भपात आणि अपूर्ण गर्भपात.

४. २८ वर्षांच्या सौ. नंदीनी, प्रथम प्रसवा, २८ आठवड्यांपासून मासिक पाळीचा अभाव आहे. उत्स्फूर्त योनीमार्गातून रक्तस्त्रावासाठी ती दाखल झाली आहे.

खालील प्रश्नांची उत्तरे लिहा:—

- (अ) सौ. नंदीनीच्या योनीमार्गातून रक्तस्त्रावाची कारणे काय ?
- (ब) प्लासेंटा प्रिव्हिआची व्याख्या व प्रकार लिहा.
- (क) रक्तस्त्रावा व्यतिरिक्त अजून कोणते चिन्हे व लक्षणे तिच्यात दिसून येतील.
- (ड) तुम्ही निदान कसे पुष्टी कराल व तिचे व्यवस्थापन लिहा.
- (इ) प्लासेंटा प्रिव्हिआ व अँब्रुप्टीओ प्लासेंटा मधील फरक स्पष्ट करा.

(०१)

(०३)

(०३)

(०४)

(०४)

किंवा

खालील प्रश्नांची उत्तरे लिहा:—

- (अ) सुतिकादोष व्याख्या लिहा.
- (ब) सुतिकादोष होण्याची कारणे लिहा.
- (क) सुतिकादोषाची चिन्हे व लक्षणे लिहा.
- (ड) सुतिकादोष संदर्भात व्यवस्थापन लिहा.
- (इ) सुतिका अवस्थेत होणाऱ्या समस्या लिहा.

(०२)

(०३)

(०३)

(०५)

(०२)

५. खालील प्रश्नांची उत्तरे लिहा :—

- (अ) गर्भाशय भ्रंश म्हणजे काय ?
- (ब) गर्भाशय भ्रंशाचे डिग्रीज व कारणे लिहा.
- (क) गर्भाशय भ्रंशाची चिन्हे, लक्षणे व कोणत्या तपासण्या कराव्या लागतील ते लिहा.
- (ड) योनीमार्गाद्वारे होणाऱ्या हिस्ट्रेक्टोमी शस्त्रक्रियेपूर्वीची व शस्त्रक्रियेनंतरची शुश्रूषा व्यवस्थापन लिहा.

(०२)

(०३)

(०५)

(०५)